



ZPMV2.E301415 Wiring, Printed - Component

Enhanced searching capability for this category can be found in UL's iQ Family of Databases (iq.ul.com).

[Page Bottom](#)

Wiring, Printed - Component

[See General Information for Wiring, Printed - Component](#)

AUSPI ELECTRONICS (SHENZHEN) CO LTD

E301415

A1101 SOUTH TOWER I
TIAN-AN CYBER PARK, N HUANGGE RD
LONGGANG CENTRAL CITY
SHENZHEN, GUANGDONG 518172 CHINA

	Cond Width				Max			Max			
	Min	Cond			Area	Solder		Oper	Meets		
	Min	Edge	Thk	SS/ DS	Diam	Limits		Temp	Flame	UL796	T
Type	mm(in)	mm(in)	mic(mil)	DS	mm(in)	C	sec	C	Class	DSR	I
Multilayer printed wiring boards.											
AU-2	0.10 (0.004)	0.28 (0.011)	17 (0.67) Int:16	DS	25.4 (1.0)	260	20	130	V-0	All	-
AU-3	0.32 (0.013)	0.68 (0.027)	136 (5.35) Int:105	DS	25.4 (1.0)	260	20	130	V-0	All	-
Single layer printed wiring boards.											
AU-1	0.14 (0.006)	0.29 (0.011)	17 (0.67)	DS	25.4 (1.0)	260	20	130	V-0	All	-

Marking: Company name and type designation. May be followed by a suffix to denote factory identification.

[Last Updated](#) on 2009-03-06

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2013 UL LLC

When the UL Leaf Mark is on the product, or when the word "Environment" is included in the UL Mark, please search the [UL Environment database](#) for additional information regarding this product's certification.

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Listed and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Designs and/or Listings (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2013 UL LLC".