



ZPXK2.E364065 Wiring, Printed - Flexible Material Constructions - Component

Enhanced searching capability for this category can be found in UL's iQ Family of Databases (iq.ul.com).

[Page Bottom](#)

Wiring, Printed - Flexible Material Constructions - Component

[See General Information for Wiring, Printed - Flexible Material Constructions - Component](#)

AUSPI ELECTRONICS (SHENZHEN) CO LTD

E364065

A1101 SOUTH TOWER I
TIAN-AN CYBER PARK, N HUANGGE RD
LONGGANG CENTRAL CITY
SHENZHEN, GUANGDONG 518172 CHINA

Type	Cond Width		Cond	SS/ DS/ DSO	Area Diam	Solder		Max		Meets UL796 DSR	C T I
	Min mm(in)	Edge mm(in)				Thk mic(mil)	Area mm(in)	Limits C	Oper C		
Multilayer flexible materials interconnect constructions.											
AU-MLF1	0.09 (0.004)	0.09 (0.004)	35 (1.38) Int:35	DS	50.8 (2.0)	288	10	105	V-0	All	-
Multilayer Rigid Flex Composite, Flexible Materials Interconnect Constructions (Flexible Application).											
AU-MLRF1	0.09 (0.004)	0.09 (0.004)	35 (1.38) Int:35	DS	50.8 (2.0)	288	10	120	V-0	-	-
AU-MLRF2	0.09 (0.004)	0.09 (0.004)	35 (1.38) Int:35	DS	50.8 (2.0)	288	10	120	V-0	-	-
Single layer flexible materials interconnect constructions.											
AU-SLF1	0.09 (0.004)	0.09 (0.004)	35 (1.38)	DS	50.8 (2.0)	288	10	105	V-0	All	-

Marking: Company name or file number and type designation. May be followed by a suffix to denote factory identification or burning test classification.

[Last Updated](#) on 2013-07-18

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2013 UL LLC

When the UL Leaf Mark is on the product, or when the word "Environment" is included in the UL Mark, please search the [UL Environment database](#) for additional information regarding this product's certification.

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Listed and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Designs and/or Listings (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2013 UL LLC".